Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of controlling a plurality of application devices including at least one participating in a user experience, the method performed by a server comprising ~~the steps~~ acts of:

retrieving ~~first documents~~ from ~~a first set of~~ the plurality of application devices ~~by a server, said first~~ input documents reflecting the status of the ~~first set of~~ respective application devices~~,~~;

retrieving identification of a user~~, by the server~~;

generating ~~second~~ output documents for ~~by the server,~~ each respective application device comprising at least one instruction~~, on the basis of~~ based at least on a part of the retrieved identification of the user and at least a part of the input document, and~~first documents~~;

sending at least one of the output ~~second~~ documents to each device of ~~a second set~~ the plurality of the application devices ~~by the server~~ participating in the user experience;
and

upon receipt of the at least one output document, at least one of the participating devices performing~~, for a particular application device of the second set,~~ the at least one instruction ~~from at least one of the second documents received in the particular application device~~.

2. (Currently amended) A ~~The~~ method according to claim 1, <u>wherein</u>~~characterized in that~~ the ~~step~~<u>act</u> of retrieving identification of the user ~~further~~comprises ~~the steps~~<u>acts</u> of

retrieving user profile information based on the user identification~~by the server~~; and

retrieving context profile information relating to surroundings of the user~~by the server~~.

3. (Currently amended) A ~~The~~ method according to claim 1, <u>wherein a type of</u> ~~characterized in that~~ the documents ~~comprise~~<u>is</u> at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

4. (Currently amended) A ~~The~~ method according to claim 1, <u>wherein</u>~~characterized in that~~ the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

5. (Currently Amended) A system <u>comprising:</u>~~for controlling~~

a plurality of ~~applications~~ application devices <u>including at least one participating in a user experience; and</u>~~,~~ ~~the system comprising:~~

a server to

retrieve ~~first documents~~ from ~~a first set~~<u>the plurality</u> of application devices~~, said first input~~<u>documents</u> reflecting the status of the ~~first set of~~<u>respective</u> application devices~~,~~;

retrieve identification of a user~~,~~;

generate ~~second~~ output documents~~,~~ for each respective application device comprising at least one instruction~~,~~ ~~on the basis of~~based at least on a part of the retrieved identification of the user and at least a part of the input document~~first documents~~, and

send at least one of the output ~~second~~ documents to each device of ~~a second set of~~ the plurality of application devices participating in the user experience~~:~~, ~~and~~

wherein upon receipt of the at least one output document, at least one of the participating devices perform~~, for a particular application device of the second set~~, the at least one instruction~~from at least one of the second documents received in the particular application device~~.

6. (Currently amended) A ~~The~~ system, according to claim 5, wherein the server is further enabled to retrieve user profile information based on the user identification and context profile information relating to surroundings of the user.

7. (Currently amended) The system, according to claim 5, wherein the system is a~~A~~ computer system ~~for performing the method according to claim 1~~.

8. (Currently amended) A computer program product comprising program code ~~means~~ stored on a computer readable non-transitory medium for when executed by a computing device performing ~~the~~ a method of ~~claim 1 when the computer program is run on a computer~~ controlling a plurality of application devices including at least one participating in

a user experience, the method comprising acts of:

retrieving from a plurality of application devices input documents reflecting the status of the respective application devices,

retrieving identification of a user,

generating output documents for each respective application device comprising at least one instruction based at least on a part of the retrieved identification of the user and at least a part of the input document, and

sending at least one of the output documents to each device of the plurality of the application devices participating in the user experience; and

upon receipt of the at least one output document, at least one of the participating devices performing the at least one instruction.

9. (Currently amended) A The method according to claim 2, characterized in thatwherein a type of the documents comprise is at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

10. (Currently amended) A method The computer program product according to claim 9, whereincharacterized in that the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

11. (Currently amended) A The method according to claim 2, whereincharacterized in that

the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

12. (Currently amended) A system for controlling an application device of a plurality of applications including at least one participating in a user experience, the system comprising:

a server ~~that is~~ configured to~~:~~

retrieve ~~first documents~~ from ~~a first set of~~ the plurality of application devices input~~, said first~~ documents reflecting the status of the respective ~~first set of~~ application devices;

retrieve identification of a user;

autonomously generate ~~second~~ output documents~~,~~ for each respective application device comprising at least one instruction ~~on the basis of~~ based at least ~~on~~ a part of the retrieved identification of the user and at least a part of the input ~~first~~ documents; and

send at least one of the ~~second~~ output documents to each device of ~~a second set~~ the plurality of the application devices participating in the user experience,

wherein upon receipt of the at least one output document, at least one of the participating devices ~~for~~ performing~~, at a particular application device of the second set,~~ the at least one instruction ~~from at least one of the second documents received in the particular application device~~.

13. (Currently amended) The system of claim 12, wherein ~~the server is configured to retrieve~~ the identification of the user is retrieved by:

    retrieving user profile information based on the user identification; and

    retrieving context profile information relating to surroundings of the user.

14. (Currently amended) The system of claim 13, wherein a type of the documents ~~comprise~~ is at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

15. (Previously presented) The system of claim 14, wherein the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

16. (Currently amended) The system of claim 13, wherein the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

17. (Currently amended) The system of claim 12, wherein a type of the documents ~~comprise~~ is at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

18. (Currently amended) The system of claim 17, wherein ~~characterized in that~~ the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

19. (Currently amended) The system of claim 12, wherein ~~characterized in that~~ the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

20. (Currently amended) A server for controlling a plurality of ~~applications~~ application devices including at least one participating in a user experience, the server comprising:

a processer ~~including code~~ for

retrieving ~~first documents~~ from a ~~first set~~ plurality of application devices~~, said first~~ input documents reflecting the status of the ~~first set of~~ respective application devices,

retrieving identification of a user,

generating ~~second~~ output documents~~,~~ for each respective application device comprising at least one instruction~~, on the basis of~~ based at least on a part of the retrieved identification of the user and at least a part of the input ~~first~~ documents, and

sending at least one of the output ~~second~~ documents to each device of the plurality ~~a second set~~ of the application devices participating in the user experience, ~~and~~

wherein upon receipt of the at least one output document, at least one of the

participating devices performing~~, for a particular application device of the second set,~~ the at least one instruction~~, from at least one of the second documents received in the particular application device,~~ wherein said one instruction ~~includes instruction for~~ changing parameters and/or settings of the particular device to reflect a setting of the user.